Shoreline Master Program Update Deliberations

Planning Commission

March 17, 2010



Where are we in the process?

- Two public hearings are completed, and deliberations are continuing...
- A number of new concerns were expressed last time by single-family property owners
- This presentation addresses new concerns and presents options for Planning Commission discussion
- Issues that have been previously addressed are not included in this presentation
- Staff is not asking for a recommendation this evening, but direction is desired, so a final recommendation can be prepared





Sliding Scale Setback Alternatives

- Standard setback is 100'
- Can't go lower than current 25' setback
- Lake Washington- only 58% conform to setback regulations currently in place (1983 regs)
- Sliding scale proposed for existing single-family homes based on lot depth





Sliding Scale Setback Alternatives

Option 1-

Current Proposal

Lot	Set-	%
Depth	back	
<100'	25'	>25%
100'-	35'	27%-
130′		35%
130'-	60'	40%-
150′		46%
>150'	70'	<46%

• 38.8% of current parcels would conform

Option 2-

30% Sliding Scale

	S S / S S II S II I I I I I I I I I I I				
Lot		Set-	%		
Dept	h	back			
<100	,	25'	>25%		
100'-	•	35 ′	27%-		
130'			35%		
130'-	•	45 ′	25%-		
<u>180'</u>			35%		
>180	, _	60'	<35%		

 43.2% of current parcels would conform

Option 3-

Flat 30%

- 30% of lot depth as setback
- Minimum 25' setback

- Creates odd amounts, e.g. a 176' deep lot would have a 52.8' setback
- 41.5% of current parcels would conform



Single-Family Buffer Alternatives

- Standard buffer is the same as the setback
- Few Lake Washington properties have a buffer at the current time
- Existing single-family sliding scale provides a buffer that is 10' less than required setback





Single-Family Buffer Alternatives

Option 1-

Current Proposal

Lot	Set-	Buffer
Depth	back	
<100'	25'	15'
100'-	35'	25'
130′		
130'-	60'	50'
150′		
>150'	70′	60'

Option 2-

Reduced Scale

Lot	Set-	Buffer
Depth	back	
<100'	25'	10'
100'-	35'	15'
130'		
130'-	45'	20'
180'		
>180'	60'	25'

Option 3-

Flat 10%

- Associated with flat 30% setback
- 10% of lot depth as buffer
- Minimum 10' setback
- Creates odd amounts, e.g. a 176' deep lot would have a 17.6' buffer





Repair of Existing Docks

- What is fair?
- What reduces non-conformity?
- At what point in repairing a dock does the dock become a new dock?
- How does it affect ecological process in the short and long term?
- How do the rules apply to floating docks?





What are the repair standards for docks?

Current Proposal

- May repair 30% or less without meeting any new standards
- Light penetrating materials required for repairs of 30%-100% of surface without meeting new size requirements
- Replacement of pilings will require reconfiguration to meet new standards

AHEAD OF THE CURVE

Alternative Proposal

New Proposal Floating Docks

Same

Same

 Replacement of >50% of pilings will require reconfiguration to meet new standards

- Light penetrating materials required when feasible and if the integrity of the structure is not compromised
- Replacement of >50% of the under structure will require reconfiguration to meet new standards

Repair of Existing Bulkheads

- No changes proposed
- Existing bulkheads may be repaired for singlefamily homes
- Need for a bulkhead evaluated only if a nonconforming home's footprint is expanded by more than 500 sq.ft/10%, or impervious surface expanded by more than 1000 sq.ft.
- Bulkheads may be retained if necessary
- In some cases, less impactful bulkheads may be required



Repair of Existing Bulkheads

Shoreline Stabilization Hierarchy of Preference:

- No shoreline stabilization
- Soft stabilization options made of natural materials
- Soft stabilization options with rigid stabilization at the buffer line
- Rigid stabilization





Channel Migration Zones

Department of Ecology and Futurewise have commented on the need for clarification on channel migration zones (CMZ):

- Maps will be added to our inventory
- Sections on shoreline stabilization, flood control, and residential subdivision will include provisions that prevent interference with CMZs
- Aquaculture will not be allowed in urban conservancy areas



